# SPRINT 100

LINET

The Stretcher







Transport Stretcher

# SPRINT 100


## The Stretcher



# BUILT FOR ERGONOMIC TRANSPORT



IV&Drive® allows the stretcher to be moved from any height without compromising ergonomic posture.[1]



FlexiDrive® makes steering easier for the caregiver and reduces initial push forces by 77%.[1]



Ergonomic Push Handles are collapsible for easy access to the patient.

# SAFETY PROVEN FOR EVERYDAY CARE



EasyBrake® ensures braking with minimal effort for caregivers from all four sides.



SoftDrop Siderails lower smoothly, gently, and silently.



Easy Cleanability thanks to a streamlined column design, smooth surfaces, and an accessible undercarriage.

# PATIENT-CENTERED COMFORT BY DESIGN



4 Parts Positioning allows easy adjustments, including a cardiac chair position.



Large Mattress Platform ensures that all patients can fit comfortably and is easy to clean for infection control.



Standard 5” Mattress with anti-slip technology that minimizes the risk of patient movement.

# TECHNICAL SPECIFICATIONS

| | SPRINT 100 |
|---|---|
| Safe Working Load | 320 kg / 705 lb |
| Maximum Patient Weight | 280 kg / 617 lb |
| Average Stretcher Weight | 120 kg / 265 lb |
| Maximum Backrest / Thighrest / Calfrest Angle | 90°/ 40°/ 20,5° |
| Trendelenburg / Reverse Trendelenburg Position | +18°/-18° |
| External Dimensions in Standard Bed Position (length × width) | 211 cm (83 in) × 76 cm (30 in), 86 cm (34 in) |
| Mattress Platform Height | 55.5 cm (22 in) – 88 cm (34.6 in) |
| Castor Diameter | 20 cm (7.9 in) |
| Clearance of Undercarriage | 10.7 cm (4.2 in) |




## REFERENCES

1. LINET White paper. 2025 Best practice for patient transport in Sprint 200 for reducing WRMSDs.

wissner-bosserhoff LINET

Members of LINET Group

**LINET spol. s r.o.** | Želevčice 5, 274 01 Slaný | Czech Republic
tel.: +420 312 576 400 | fax: +420 312 522 668 | e-mail: info@linet.com | www.linet.com

Art. nº 9601-1114 | Edition 05/2025 | Slight colour differences are possible. Change of technical parameters reserved.